


pressSIGN Certification

Measurement Report

Job name : Demo Production Job
 Printed by : Bodoni Systems Ltd
 Press : CD102
 Ink & paper : Generic Coated Paper
 Dryback : Wet press sheet. NO dryback applied
 Date / Time : Friday, 23 October 2009 18:18

Measurements : 1 measurement
 Press Standard : ISO 12647-2 Coated Black Backing v3

	Score	Grade
CMYK Primaries (20/20)		●
Paper (6/8)		●
Overprint Lab (6/9)		●
Overprint Trap (9/9)		●
Grey Balance (13/15)		●
Dot Gain (TVI) (24/28)		●
Gamut Volume (13061/12583)	103.80%	



Lab Values & Density - Lab values measured D50, 2 Observer. Density measured Status T relative to paper

Colour	Measured Lab			Target Lab			dE (Tolerance de76*ab)	CMYK Density (Estimated)
Cyan	55.72	-33.86	-51.09	54.00	-36.00	-49.00	3.63 (5.00)	1.31 (1.32)
Magenta	47.11	74.63	-2.54	46.00	72.00	-5.00	3.90 (5.00)	1.40 (1.35)
Yellow	87.51	-7.22	89.06	87.00	-6.00	90.00	1.71 (5.00)	0.95 (0.99)
Black	13.89	1.92	2.91	16.00	0.00	0.00	4.39 (5.00)	1.68 (1.59)
Red(M+Y) Overprint	46.99	68.83	47.03	46.00	67.00	47.00	2.08 (6.00)	90% (85%)
Green(C+Y) Overprint	50.38	-68.53	25.48	49.00	-66.00	24.00	3.33 (6.00)	94% (90%)
Blue(C+M) Overprint	23.98	26.29	-44.15	24.00	16.00	-45.00	10.41 (6.00)	93% (90%)
Paper	93.25	0.67	-5.39	92.00	0.00	-3.00	1.25 (3.00)	0.67 (2.00) -2.39 (2.00)
25% Grey Balance	78.21	2.01	-4.76	77.81	0.46	-4.26	1.37 (2.00)	
50% Grey Balance	62.73	3.29	-3.16	60.09	0.32	-2.96	2.52 (2.00)	
75% Grey Balance	40.95	1.83	-0.42	40.66	0.32	-1.32	1.68 (2.00)	

Dot Gain (TVI) Curves

